

normal wind forces.”.

IN THE CLAIMS ✓

Cancel claims 17 -19, and amend Claim 12 as shown in the enclosures submitted

herewith.

REMARKS

Claims 1, 6-10 and 13-15 have been allowed. Claims 17 through 19 are cancelled.

Claim 12 has been amended in light of the Examiner's objections thereto, being now also made dependent upon Claim 1. Consideration, with a view to allowance is requested.

In the Drawings, Figure 1 has been amended to show the concealed clamp means 37, now illustrated as “black boxes”. A new Figure 6 shows the tub 74, viewed from above, and having a receptacle 76 for the mast. New formal drawings (copies included herewith) are being mailed to the Patent Office

The Examiner is cordially thanked for his prompt review of the changes to the drawings, as submitted informally for his comment and approval.

Corrected Clear Versions of the amended paragraphs of Specification are included.

The Examiner is particularly thanked for his helpful and courteous phone calls.

Respectfully submitted,

D. Eggins.

D.W.EGGINS Patent Agent
Regn.No.21,175

Enclosures:

Amended Claim 12; Clear Versions 1)Specification changes ; 2) Claim 12

D.W.EGGINS

18 DOWNSVIEW DRIVE

BARRIE, On. CANADA

L4M 4P8

} [NEW ADDRESS]

}

Ph.(705)726-1975 Fx.(705)726-7341 e-mail: dweggins@sympatico.ca